



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

January 17, 2007

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: United States Patent for *Crystallization Cassette For The Growth And Analysis Of Macromolecular Crystals And an Associated Method*
Application No. 10/651,499; Filed August 29, 2003
Patent No. 7,118,626; Issued October 10, 2006
Our File 038470/255206

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,


Timothy J. Balts
Registration No. 51,429

TJB:mf
Enclosures

Certificate
of Correction
JAN 26 2007

JAN 30 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,118,626

Page 1 of 1

APPLICATION NO. : 10/651,499

ISSUE DATE : October 10, 2006

INVENTOR(S) : Ng et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14.

Line 4, after "0.05", insert --mm--.

Column 17.

Line 20, "pro-loaded" should read --pre-loaded--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

JAN 30 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,118,626

Page 1 of 1

APPLICATION NO. : 10/651,499

ISSUE DATE : October 10, 2006

INVENTOR(S) : Ng et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14.

Line 4, after "0.05", insert --mm--.

Column 17.

Line 20, "pro-loaded" should read --pre-loaded--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

JAN 30 2007